


Builders
CHOICE

by
OREPAC

WOOD STILE & RAIL DOORS

species and style guide



QUALITY CONSTRUCTION Engineered stile and rail construction creates a durable and stable door.

NATURAL BEAUTY These real wood doors provide warmth and beauty.

AVAILABILITY All doors in this catalog are readily available either in stock or from our logistics facility in Wilsonville, OR.

CUSTOM DESIGNS Domestic and overseas resources available for custom design and manufacturing.

RELIABILITY Your interior door is backed by a five year warranty, exterior is backed by a one year warranty. See page 35.

seedy baroque



exterior

DECORATIVE GLASS

- Seedy Baroque | 3
- Granada | 4
- Vienna | 5
- Cordova | 6
- Marseille | 7
- Craftsman Tianna | 8
- Craftsman Cordova | 9

CLEAR GLASS

- Craftsman Beveled | 11
- Prairie Mission, Country Sash | 13
- French | 15

TRADITIONAL PANELS

- Panels and Panels w/Clear Glass | 17

interior

DECORATIVE GLASS

- Textured | 19
- Screened | 19
- Mirror | 19
- White Laminate | 19

CLEAR GLASS

- French | 21

MESSAGE CENTER

- Chalkboard and Whiteboard | 23

RAISED PANELS

- Fir | 27
- Knotty Alder | 30
- Clear Pine | 32
- Knotty Pine | 33

SHAKER PANELS

- Primed | 25
- Fir | 29
- Knotty Alder | 31

LOUVER

- Primed | 24
- Fir | 28

FIRE

- Fir | 26
- Knotty Alder | 31

GENERAL INFORMATION

- Custom Options | 34
- Warranty | 35



seedy glass with soft, random curves

privacy rating | 2 | | | | | | |



4252 [1-3/4"] 4952
CAMBER TOP



4452 [1-3/4"]
3/4 OVAL



4352 [1-3/4"] 4852
3/4 LITE

FIR
KA


FIR
KA

FIR
KA

EXQUISITE SEEDY BAROQUE

- 11/16" Double Pane
- 1-1/4" Double-hip Raised Split-proof Panel
- Ovolo Sticking

OPTIONAL SHELVES



Large Block (5)

FIR

Large Block (4)

KA


granada



zinc caming, clear bevels, clear swirl, granite glass

privacy rating | | | 3 | | | | |

vienna



zinc caming, clear bevels, narrow reed, diamond glass


privacy rating | | | | | 6 | | | |



4223 [1-3/4"] 4923 **CAMBER TOP** **FIR KA**
4323 [1-3/4"] 4823 **3/4 LITE** **FIR KA**

EXQUISITE GRANADA
· 11/16" Triple Pane
· 1-1/4" Double-hip Raised Split-proof Panel
· Ovolo Sticking


OPTIONAL SHELVES



4233 [1-3/4"] 4933 **CAMBER TOP** **FIR KA**
4333 [1-3/4"] 4833 **3/4 LITE** **FIR KA**

EXQUISITE VIENNA
· 11/16" Triple Pane
· 1-1/4" Double-hip Raised Split-proof Panel
· Ovolo Sticking

OPTIONAL SHELVES




cordova



privacy rating | | | **3** | | | | |

patina caming, clear bevels, clear swirl, diamond glass

marsaille



privacy rating | | | | | **6** | | | | |

brass caming, clear bevels, diamond glass, water glass, fine granite glass



4242 [1-3/4"] 4942
CAMBER TOP

4342 [1-3/4"] 4842
3/4 LITE

EXQUISITE CORDOVA
 · 11/16" Triple Pane
 · 1-1/4" Double-hip Raised Split-proof Panel
 · Ovolo Sticking

OPTIONAL SHELVES



4411 [1-3/4"] 4811
3/4 OVAL

EXQUISITE MARSAILLE
 · 11/16" Triple Pane
 · 1-1/4" Double-hip Raised Split-proof Panel
 · Ovolo Sticking

OPTIONAL SHELVES



craftsman tianna



patina caming, clear and gray tinted bevels, water glass, diamond glass

craftsman cordova



patina caming, clear bevels, water glass, diamond glass

CRAFTSMAN
TIANNA

- 11/16" Triple Pane
- 3/4" Laminated Flat Panel
- Mission/Square Sticking

OPTIONAL SHELF



Large Block (5)

privacy rating



FIR



6611 [1-3/4"] 1 PANEL / 1 LITE 6621 [1-3/4"] 2 PANEL / 1 LITE 6602
 6631 [1-3/4"] 3 PANEL / 1 LITE 6613 [1-3/4"] 1 PANEL / 3 LITE 6623 [1-3/4"] 2 PANEL / 3 LITE 6633 [1-3/4"] 3 PANEL / 3 LITE 6601

CRAFTSMAN
CORDOVA

- 11/16" Triple Pane
- 3/4" Laminated Flat Panel
- Mission/Square Sticking

OPTIONAL SHELF



Large Block (5)

privacy rating



FIR



6711 [1-3/4"] 1 PANEL / 1 LITE 6721 [1-3/4"] 2 PANEL / 1 LITE 6702
 6731 [1-3/4"] 3 PANEL / 1 LITE 6713 [1-3/4"] 1 PANEL / 3 LITE 6723 [1-3/4"] 2 PANEL / 3 LITE 6733 [1-3/4"] 3 PANEL / 3 LITE 6701


clear bevel



CRAFTSMAN 6836 CLEAR BEVEL
 · 5/8" Double Pane w/ 1" bevel on one side
 · 1-1/4" Double-Hip Raised Split-proof Panel
 · Ovolo Sticking

clear bevel glass

OPTIONAL SHELVES



CRAFTSMAN CLEAR BEVEL
 · 5/8" Double Pane w/ 1" bevel on one side
 · 3/4" Laminated Flat Panel
 · Mission/Square Sticking



country sash



PRAIRIE MISSION

- Double Pane TDL Lites
- 1-1/8" Beaded V-groove
- Split-Proof Panel
- Ovolo Sticking



FIR

7906 [1-3/4"]
6 LITE TOP ARCH



FIR

7806 [1-3/4"]
6 LITE



FIR

7222 [1-3/4"]
2 LITE

COUNTRY SASH

- Double Pane TDL LowE Glass
- 7/8" Double Hip Raised
- Split-Proof Panel
- Ovolo Sticking



FIR

8501 [1-3/4"]
3/4 LITE / 1 PANEL



FIR

8144 [1-3/4"]
HALF LITE / 2 PANEL



FIR

8702 [1-3/4"]
HALF LITE / 1 PANEL



FIR

8508 [1-3/4"]
8 LITE



FIR

8944 [1-3/4"]
9 LITE






FIR

8035 [1-3/4"]
9 LITE / CROSSBUCK

clear french



**THERMAL
FRENCH DOORS**
· 5/8" Double Pane TDL LowE
· Ovolo Sticking



obscure glass

**THERMAL
PRIVACY**
· 11/16" Double Pane LowE
· Ovolo Sticking
· Screen printed on the inside



traditional



**TRADITIONAL
PANELS/GLASS***

- 7/8" Double Hip Raised Split-Proof Panel
- Ovolo Sticking

*Single Pane TDL



FIR

3130 [1-3/4"]
6 PANEL



FIR

3044 [1-3/4"]
4 PANEL



FIR

3020* [1-3/4"]
4 LITE HALF ROUND



FIR

3134* [1-3/4"]
4 LITE SQUARE

**TRADITIONAL
PANELS**

- 1-3/4" Scoop Raised Panel*
- Ovolo Sticking*

* Unless otherwise noted

* Also available in 7' height

* Also available in 8' height

23/32" Flat Panel, Square Sticking

all available in v-groove



KA

3082 ^ [1-3/4"]
**2 PANEL
RAISED**



KA

3083+ ^ [1-3/4"]
**2 PANEL
RAISED ARCH**



KA

6902# [1-3/4"]
**2 PANEL
SHAKER**



KA

3085/3285 [1-3/4"]
**2 PANEL
RADIUS - 8'**

**KNOTTY ALDER
ACCESSORIES**

Speakeasy Kit
EASPESKIT

Round Clavos Nails
1" EACLAV25
1-3/8" EACLAV35





FIR
KA
CP
PR

401 [1-3/8"]
NARROW REED

. 1/8" Single Pane
vertically textured, tempered safety glass
. Ovolo Sticking

privacy rating | | | | 5 | | | |



FIR
KA
CP
PR

402 [1-3/8"]
RAIN

. 1/8" Single Pane
vertically textured, tempered safety glass
. Ovolo Sticking

privacy rating | | | | 5 | | | |



FIR
KA
CP
PR

301 [1-3/8"]
PANTRY

. 1/8" Single Pane
screen printed sandblast effect
. Ovolo Sticking

privacy rating | | | | 6 | | | |



FIR
KA
CP
PR

601 [1-3/8"]
MIRROR

. 5/16" Laminated
double-sided
. Ovolo Sticking

privacy rating | | | | | 10 | | | |



FIR
KA
CP
PR

306 [1-3/8"]
PRIVACY IG LOW-E

. 11/16" Double Pane
Mission Sticking

privacy rating | | | | | 8 | | | |



FIR
KA
CP
PR

801 [1-3/8"]
WHITE

. 5/16" Laminated
. Ovolo Sticking

privacy rating | | | | | 9 | | | |

clear french



FIR
KA
CP
PR

1501 [1-3/8"]
1 LITE



PR

1501-8 [1-3/8"]
1 LITE - 8'0"



FIR

1509 [1-3/8"]
9 LITE MARGINAL

INTERIOR
FRENCH DOORS
· 1/8" Single Pane
· Ovolo Sticking



FIR
KA
CP
PR

1510 [1-3/8"]
10 LITE



PR

1512-8 [1-3/8"]
12 LITE - 8'0"



FIR
CP
PR

1515 [1-3/8"]
15 LITE

chalkboard & whiteboard
message center or artist's canvas...




PERFECT FOR:

busy families on-the-go dorm rooms
THE PANTRY your grocery list
leaving love notes jotting down to-do's
friendly reminders an inspiring message
daily chore chart nostalgia
a low-tech way to nurture creativity BABYSITTER BOARD



FIR
KA
CP
PR



901 [1-3/8"]
CHALKBOARD
· Doubled-Sided
· Magnetic
· Ovolo Sticking



FIR
KA
CP
PR

902 [1-3/8"]
WHITE BOARD
· Doubled-Sided
· Magnetic
· Ovolo Sticking

primed

LOUVERS



LP [1-3/8"]
1-1/4" Slats
· Square Sticking
· 3/4" Raised Panel



LL [1-3/8"]
1-1/4" Slats
· Square Sticking

bifolds



LPBF [1-3/8"]
1-1/4" Slats
· Square Sticking
· 3/4" Raised Panel



LLBF [1-3/8"]
1-1/4" Slats
· Square Sticking

SHAKER FLAT PANEL



720 [1-3/8"]
1 PANEL
· Square Sticking



782 [1-3/8"]
2 PANEL
· Square Sticking



760 [1-3/8"]
3 PANEL
· Square Sticking



755 [1-3/8"]
5 PANEL
· Square Sticking

bifolds



720BF [1-3/8"]
1 PANEL
· Square Sticking



782/744BF [1-3/8"]
2 PANEL
· Square Sticking



760BF [1-3/8"]
3 PANEL
· Square Sticking



755BF [1-3/8"]
5 PANEL
· Square Sticking

fir

Our fire rated doors are most commonly used as a passage door between the house and adjacent garage (as required by most building codes). The doors on this page are certified by an authorized testing agency and have a 20-minute fire rating.

FIRE Doors

see page 29 for shaker panel fire doors



9083 [1-3/4"] 2 PANEL ARCH · Ovolo Sticking · 4-1/2" Stile	9082BP [1-3/4"] 2 PANEL SQUARE · 1" Bladder Pressed Panel · Quarter Round Sticking · 5-3/8" Stile	9044 [1-3/4"] 4 PANEL · Ovolo Sticking · 4-1/2" Stile	9055BP [1-3/4"] 5 PANEL · 1" Bladder Pressed Panel · Quarter Round Sticking · 5-3/8" Stile	9130 [1-3/4"] 6 PANEL · Ovolo Sticking · 4-1/2" Stile
--	--	---	---	---

TRADITIONAL RAISED PANEL



83 [1-3/8"] 2 PANEL ARCH · Ovolo Sticking	82 [1-3/8"] 2 PANEL · Ovolo Sticking	44 [1-3/8"] 4 PANEL · Ovolo Sticking	55 [1-3/8"] 5 PANEL · Ovolo Sticking	66 [1-3/8"] 6 PANEL · Ovolo Sticking
--	---	---	---	---

bifolds



83BF [1-3/8"] 2 PANEL ARCH · Ovolo Sticking	82/44BF [1-3/8"] 2 PANEL · Ovolo Sticking	82/44BF [1-3/8"] 4 PANEL · Ovolo Sticking	55BF [1-3/8"] 5 PANEL · Ovolo Sticking	66BF [1-3/8"] 6 PANEL · Ovolo Sticking
--	--	--	---	---

LOUVERS



LP [1-3/8"]
1-1/4" SLATS

- Square/Ovolo Sticking
- 3/4" Raised Panel

LL [1-3/8"]
1-1/4" SLATS

- Square Sticking

bifolds



LPBF [1-3/8"]
1-1/4" SLATS

- Square/Ovolo Sticking
- 3/4" Raised Panel

LLBF [1-3/8"]
1-1/4" SLATS

- Square Sticking

SHAKER FLAT PANEL



720 [1-3/8"]
1 PANEL

- Square Sticking
- Flat Panel

782 [1-3/8"]
2 PANEL

- Square Sticking
- Flat Panel

760 [1-3/8"]
3 PANEL

- Square Sticking
- Flat Panel

755 [1-3/8"]
5 PANEL

- Square Sticking
- Flat Panel

bifolds



720BF [1-3/8"]
1 PANEL

- Square Sticking
- Flat Panel

782/744BF [1-3/8"]
2 PANEL

- Square Sticking
- Flat Panel

760BF [1-3/8"]
3 PANEL

- Square Sticking
- Flat Panel

755BF [1-3/8"]
5 PANEL

- Square Sticking
- Flat Panel



M9082 [1-3/4"]
2 PANEL

- 9/16" Flat Panel
- Mission Sticking
- 5-3/8" Stile

M9760 [1-3/4"]
3 PANEL

- 9/16" Flat Panel
- Mission Sticking
- 5-3/8" Stile

M9755 [1-3/4"]
5 PANEL

- 9/16" Flat Panel
- Mission Sticking
- 5-3/8" Stile

Our fire rated doors are most commonly used as a passage door between the house and adjacent garage (as required by most building codes). The doors on this page are certified by an authorized testing agency and have a 20-minute fire rating.



*IA82 [1-3/8"]
*EA3082 [1-3/4"]
2 PANEL
· Raised Panel
· Ovolo Sticking



*IA83 [1-3/8"]
*EA3083 [1-3/4"]
*EA3283 [2-1/4"]
2 PANEL ARCH
· Raised Panel
· Ovolo Sticking



*IA82V [1-3/8"]
*EA3082V [1-3/4"]
2 PANEL
· Raised Panel
· Ovolo Sticking
· V-Grooved



*IA83V [1-3/8"]
*EA3083V [1-3/4"]
*EA3283V [2-1/4"]
2 PANEL ARCH
· Raised Panel
· Ovolo Sticking
· V-Grooved



*EA9082 [1-3/4"]
2 PANEL
· Raised Panel
· Ovolo Sticking
doors avail. v-grooved



*EA9083 [1-3/4"]
2 PANEL ARCH
· Raised Panel
· Ovolo Sticking
doors avail. v-grooved

bifolds



IBA82 [1-3/8"]
2 PANEL
· Raised Panel
· Ovolo Sticking
doors available v-grooved



IBA83 [1-3/8"]
2 PANEL ARCH
· Raised Panel
· Ovolo Sticking
doors available v-grooved



IA782 [1-3/8"]
EA6902 [1-3/4"]
2 PANEL
· Flat Panel
· Square Sticking



EA6902V [1-3/4"]
2 PANEL
· Flat Panel
· Square Sticking
· V-Grooved



IA760 [1-3/8"]
3 PANEL
· Flat Panel
· Square Sticking

*Available 8'0" tall.

clear pine

knotty pine



44 [1-3/8"]
4 PANEL
· 11/16" Double Hip Raised
· Ovolo Sticking



66 [1-3/8"]
6 PANEL
· 11/16" Double Hip Raised
· Ovolo Sticking



82V [1-3/8"]
2 PANEL
· 11/16" Step Raised Panel
· Cove Sticking
· V-Grooved



83V [1-3/8"]
2 PANEL ARCH
· 11/16" Step Raised Panel
· Cove Sticking
· V-Grooved



44 [1-3/8"]
4 PANEL
· 11/16" Single Hip Raised
· Ovolo Sticking



66 [1-3/8"]
6 PANEL
· 11/16" Single Hip Raised
· Ovolo Sticking

bifolds



44BF [1-3/8"]
4 PANEL
· 11/16" Double Hip Raised
· Ovolo Sticking



66BF [1-3/8"]
6 PANEL
· 11/16" Double Hip Raised
· Ovolo Sticking

bifolds



82VBF [1-3/8"]
2 PANEL
· 11/16" Step Raised Panel
· Cove Sticking
· V-Grooved



83VBF [1-3/8"]
2 PANEL ARCH
· 11/16" Step Raised Panel
· Cove Sticking
· V-Grooved



44BF [1-3/8"]
4 PANEL
· 11/16" Single Hip Raised
· Ovolo Sticking



66BF [1-3/8"]
6 PANEL
· 11/16" Single Hip Raised
· Ovolo Sticking

You don't have to be limited to standard doors. Call for custom options.
 custom openings | custom glass | fire rated option | special jambs | matching millwork profiles

- Matching Moulding**
 Casing, Bases, Crowns, etc.
- Special Order Wood Species**
- Special Machining**
 Door Viewer, Cut-downs, Custom Sizes
- Weatherization**
 Sill Pan, DuPont Door Kit
- Special Packaging**
 Cardboard, Shrinkwrap, Sill Cover
- Multipoint**
 3 Point Lock Prep and Install, Lever Set
- 20 Minute Rating**
 20 Minute Label and spring hinges
- Jambs**
 Paint Grade, Stain Grade, Composite
- Sills**
 Inswing, Outswing, ADA Compliant
- Hinges**
 Various Types and Finishes
- Accessories**
 Dentil Shelves, Clavos, Speakeasy

OrePac warrants that each door purchased from OrePac is of good material and workmanship and shall be free of defects which render such door(s) unserviceable or unfit for ordinary recommended use.

ONE YEAR EXTERIOR DOOR WARRANTY

Doors used in an exterior application (with controlled climate conditions on one side) shall carry a one year limited warranty from the date of purchase from the dealer. This warranty applies only to doors that have been properly finished, sealed and hung in a location protected from direct exposure to sun and rain, under normal conditions. See specific "Storage & Handling" and "Maintaining your Stile and Rail Door" documents.

FIVE YEAR INTERIOR DOOR WARRANTY

Doors used in an interior application (with controlled climate conditions on both sides) shall carry a five year limited warranty from the date of purchase from the dealer. This warranty applies only to doors that have been properly finished, sealed and hung. The five year warranty applies only to the original home owner and is not transferable.

Characteristics Excluded from Warranties:

The following are not defects in the workmanship or material and are not covered by this written warranty:

1. Damage caused by failure to comply with the Storage & Handling instructions, as well as the Maintaining your Stile and Rail Door instructions.
2. Warp of less than or equal to 1/4" in the plane of any door 3' x 7' or smaller.
3. Exterior doors over 7' tall that are not installed with a three point lock system.
4. Defect caused by a warped or bowed jamb/frame unit, or improper installation.
5. Natural variations in the color or texture of the wood.
6. Failure to properly seal the door. All six sides must be sealed immediately after fitting and hanging with the integrity of the finish maintained.
7. Panel misalignment or shrinkage.
8. Rail expansion due to climate conditions.
9. Damage caused by extreme temperature build-up where a storm door is utilized.
10. Failure to perform normal home owner's maintenance, including maintaining the finish.
11. The performance or appearance of finishes applied.

Limitation of Liability

The liability of OrePac is expressly limited to the replacement or repair of the door or a refund, in full, of the original purchase price. OrePac shall not be liable for any special, consequential indirect or incidental damages based upon breach of express or implied warranty, breach of contract, negligence, strict tort or any loss of profits, loss of savings or revenue, loss of use of the door or structure in which the door is installed, cost of any substitute doors, claims by third parties including subsequent purchasers of OrePac's products and injury to property.

This warranty gives you specific legal rights and you may have other rights which vary from state to state.

Builders
CHOICE[®]

by

OREPAC

